

(19)



Eur päisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 0 926 911 A2**

(12)

## EUROPEAN PATENT APPLICATION

(43) Date of publication:  
30.06.1999 Bulletin 1999/26

(51) Int. Cl.<sup>6</sup>: **H04Q 7/32**, H04L 29/06,  
G06F 17/30

(21) Application number: 98115147.5

(22) Date of filing: 12.08.1998

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE**  
Designated Extension States:  
**AL LT LV MK RO SI**

(30) Priority: 28.10.1997 DE 19747438

(71) Applicant:  
**International Business Machines  
Corporation**  
Armonk, N.Y. 10504 (US)

(72) Inventors:  
• **Akerblom, Stefan**  
30457 Hannover (DE)  
• **Arnold, Gerald**  
03130 Spremberg (DE)  
• **Ehrmantraut, Michael**  
31275 Lehrte (DE)  
• **Metternich, Jörg**  
31008 Elze (DE)

(74) Representative:  
**Teufel, Fritz, Dipl.-Phys.**  
**IBM Deutschland Informationssysteme GmbH,**  
**Patentwesen und Urheberrecht**  
70548 Stuttgart (DE)

### (54) Method for calling up user-specified information using a mobile telephone

(57) The present invention describes a method for calling up information by means of a mobile telephone.

The SMS messages of a mobile telephone are used to call up information which is unconnected in time and location with the mobile telephone. To specify the desired information and to define the brief commands the user of the mobile telephone uses data-processing equipment with data lines to the information provider, e.g. Internet connection, by means of which he can deposit query profiles with the information provider. In addition, the query profiles can be produced using a speech computer. The user can call up the dormant query profiles by means of simple brief commands and obtain the required information. The desired information will be reproduced either visually or acoustically via the mobile telephone. The advantages of both communication media are therefore combined with one another in an ideal manner, where the hardware of the mobile telephone and/or its method of operation remain unchanged.




Fig. 1

EP 0 926 911 A2

## Description

[0001] The present invention describes a process for calling up user-specified information, set up with an information provider and which can be called up quickly and simply using SMS messages of a mobile telephone.

[0002] At the present time there are three different methods for calling up information over the mobile phone by SMS:

### Entry of precise parameters

[0003] Here the user must specify exactly the information which he has requested and also authorise it (e.g. PIN). Thus, if he wishes, for example, to query his account status, he must enter his account number, the data required (namely the status of his account) and his PIN. In the case of complex parameters this message can be very long, i.e. the number of keys to be pressed is very large.

### Entry of brief commands

[0004] In this case the user must know a set of possible abbreviated commands. These brief commands are established by the information provider (e.g. bank) and are the same for all users.

[0005] In the example described above, only the command itself is abbreviated. Account number and PIN still need to be entered.

### Individual brief commands

[0006] This method offers the user a very convenient way of calling up his information. For this, however, an individual list of commands must be made available to him by the information provider. In addition, the user must supply his mobile phone number to the information provider. This method can only be handled with difficulty on the part of the information provider since, with a large number of clients, a very large quantity of data has to be produced and managed. In addition, changes by the client (type of information, mobile phone number, etc.) are expensive to carry out.

[0007] Common to these above-mentioned methods is the fact that the user formulates an enquiry with the aid of an SMS message. This message is evaluated by the information provider and the information requested sent to the mobile phone by means of one or more SMS messages. It is a disadvantage of this process that up to 4 keys must be pressed to allow a single letter to be printed.

[0008] European Offenlegungsschrift EP 0731 590 A2 describes a mobile telephone with a key pad with selection and radio keys and a display field, with further keys (soft keys) and optionally integrated transmit/receive devices (handheld) in the operating part.

[0009] One disadvantage of this proposed solution is

that an additional device is required on the mobile phone for processing and sending messages in the sense that received messages to be confirmed with "Yes" are sent back to the sender by operating a soft-key button and a yes input with an additional confirmation. This invention is limited exclusively to YES/NO answers. It does not simplify the sending of complex messages. In addition, this method requires a modification of the mobile phone.

[0010] The method described has either the disadvantage that it requires from the client very detailed and hence long entries or that it requires the client to know what can sometimes be a large set of short commands, which the information provider is able to manage only at very considerable expense.

[0011] The task of the present invention is to make available a new method for calling up user-specified information over a mobile phone which enables complex information to be called up by simple messages over the mobile phone without the necessity that the mobile phone itself be modified; without the need for the user to know any commands predetermined by the information provider and without requiring any additional management expenditure on the part of the information provider.

[0012] This task is solved by the features of Claims 1, 15 and 23. Advantageous embodiments of the present invention are set out in the sub-claims.

[0013] The advantage of the present invention resides in the combination of two different communication media, in order to combine their advantages. The SMS messages are used in order to call up information at any time and in any place using a mobile phone. To specify the desired information and to define the short command the user of the mobile phone employs a data-processing device with a data line, e.g. Internet connection, by means of which an enquiry profile can be laid down with the information provider. In addition, the enquiry profile can be produced by means of a speech computer. The user can call up the recorded enquiry profile by means of a simple short command and obtain the desired information. The desired information is reproduced, either audibly or visually, through the mobile phone. The characteristics of both media are therefore coupled with one another in an ideal manner, where the hardware of the mobile phone and/or its operation remain unaltered.

[0014] The present invention will be illustrated in more detail by means of the drawings, where

FIG. 1 shows the implementation of the present invention in the Internet area and

FIG. 2 shows the architecture in accordance with the invention and its implementation in the banking field.

[0015] The architecture in accordance with the inven-

tion in FIG. 1 consists of the user's mobile phone, the user's data-processing device (PC) with network connection, e.g. Internet connection and the information provider's data-processing device (Server), which is connected with the user's data-processing equipment (Internet).

[0016] The user of the mobile phone effects a connection to the information provider's computer through a data-processing device and produces a so-called enquiry profile, which contains the corresponding short command for any information which may be queried, so that he can conveniently obtain this information in future through the mobile phone. The technical implementation whereby the user transfers the query profile to the information provider can take a number of forms. A preferred form of implementation consists in the use of the Internet and/or the Intranet and the methods and techniques established thereon for user interaction, such as, for example, HTML, CGI, JAVA, ActiveX, etc. These techniques enable the producer/user to enter the enquiry profile with the enquiry being made and its short command in a simple fashion and send it to the information provider. These enquiry profiles are managed and/or stored by the information provider. If, at some future time, the user sends one of these short commands to the information provider over his mobile phone by SMS, the latter checks the user's telephone number and the short command sent with the enquiry profile previously produced by the user and sent to the information provider. If they agree, the desired information is sent to the user of the mobile phone by SMS.

[0017] A further embodiment of the present invention can also comprise using a "Call centre" instead of the Internet. In this case the user is accompanied through the configuration menu either by a voice computer or even by a person. The enquiry profile is entered by the user either through the telephone keypad or orally.

[0018] A further embodiment is the direct dialling of the user of the mobile phone with his modem through the telephone network to the information provider. Since this is only using an alternative means of transmission to the Internet, the comments made in respect of the Internet apply.

[0019] In a final embodiment, the user of the mobile phone communicates the enquiry profile to the information provider himself (telephone/fax/letter, etc.) and the information provider stores this information.

[0020] FIG. 2 describes the implementation of the present invention in a bank architecture.

[0021] The bank architecture consists in essence of an SMS server, connected with one or more systems which prepare the required information. In addition, the SMS server is connected to the Internet. The SMS server has access to a WWW server program through which the customer can draw the JAVA applets and with the aid of which he can define the information to be asked for and its short command. In addition, the SMS server also has access to an SMS program, which man-

ages this information, compares the messages entered with the short commands entered and, if they agree, gathers the desired information with the aid of the attached systems. The sending of this collected information is effected by means of another program, which is installed on the SMS server. The separation of the functions over several programs is of a logical nature and is not a technical requirement and can therefore be solved by the specialist in some other way.

[0022] The information can be sent over one of the information provider's mobile phones or the information is sent via a data link from the information provider to the mobile phone network operator who sends the information over the telephone network to the mobile phone user.

[0023] The information is usually shown on the display of the mobile phone. However, it is also possible to prepare the information acoustically and send it to the mobile phone user.

[0024] In the banking field the method in accordance with the invention can, for example, be employed for the following enquiries:

Account balance enquiries

[0025] Here the user can define short commands through the Internet by the method shown in FIG. 1, e.g. "KS1 for account balance of account 1 = account No. xy". In addition, he gives the number of the mobile phone from which the enquiry may only be made.

Share price, deposit value, deposit yield

[0026] Here, the customer can, for example, define short commands via applets which he downloads to his system via the Internet, e.g. "AK1 for current market price of the IBM shares". In addition, he provides the number of the mobile phone from which the enquiry can only be made.

[0027] On security grounds, a PIN and/or a telephone number can be sent to the information provider together with the call for information. The PIN makes sure that the specified information can be called for only by the authorised user. The inclusion of the telephone number ensures that the enquiry profile set up by the information provider can only be requested from the authorised telephone.

[0028] The present invention can be used in almost all areas in which information providers have stored information on persons, things or special relationships, which may be of interest to the user of a mobile phone, e.g. insurance business, traffic information, etc.

[0029] The advantage of the present invention lies in the combination of two different communication media, in order to combine their advantages. The SMS messages are used in order to call up information at any place and at any time using a mobile phone. To specify the desired information and to define the short com-

mands the user of the mobile phone employs a data processing device with a data link, e.g. Internet connection, by means of which enquiry profiles can be deposited with the information provider. In addition, the enquiry profiles can also be recorded via a voice computer. The user can call up the deposited enquiry profile by means of simple short commands and obtain the desired information. The desired information is provided either audibly or visually via the mobile phone. The characteristics of the two media are thus coupled in an ideal manner, where the mobile phone hardware and/or its method of operation remain unaltered.

### Claims

1. Method for calling (preparing, sending, receiving) user-specified information by means of a mobile telephone, comprising the following steps
  - a) preparing a query profile, where in the query profile at least one information requirement is specified and a brief command attached to it, where the brief command can be produced using the keypad of a mobile telephone,
  - b) sending the query profile in accordance with step a) to an information supplier
  - c) sending an information call by means of a mobile telephone to the information supplier containing at least the brief command
  - d) comparing the brief command in accordance with step c) with the brief command of the information requirement of the query profile in accordance with step b)
  - e) putting together the information of the specified information requirement in the event of agreement in accordance with step d)
  - f) sending the collected information to the mobile telephone
  - g) reproducing the information by way of the mobile telephone.
2. Method in accordance with Claim 1 characterized in that step a) takes place via a data-processing system and step b) via a data link between the data-processing system of the user of the mobile telephone and the data-processing system of the information supplier.
3. Method in accordance with Claim 1 characterised in that the query profile is produced by a speech computer.
4. Method in accordance with Claims 1 to 3 characterized in that the information call is sent with a PIN, where the PIN establishes entitlement to call up the specified information.
5. Method in accordance with Claims 1 to 4 characterized in that the information call is sent with the telephone number of the caller, where the telephone number establishes entitlement to call for the information.
6. Method in accordance with Claim 1 or 2 characterized in that the data link is effected through a modem to the data-processing system of the information supplier.
7. Method in accordance with Claims 1 to 4 characterized in that the data link is effected through the Internet to the data processing system of the information supplier.
8. Method in accordance with Claims 1,2,4,5 or 7 comprising the further step:
 

Downloading JAVA applets, stored on the server of the information supplier through the Internet to the data processing system of the user of the mobile telephone;  
Preparing the query profile in accordance with step a) by means of the JAVA applets.
9. Method in accordance with Claims 1 to 8 characterized in that step c) is effected through the SMS of the mobile telephone.
10. Method in accordance with Claims 1 to 9 characterized in that steps d) - f) are each effected through one of the information supplier's programs.
11. Method in accordance with Claims 1 to 9 characterized in that steps d) - e) and step f) are each effected through separate information supplier programs.
12. Method in accordance with Claims 1 to 11 characterized in that sending, in accordance with step f), is effected via a mobile telephone.
13. Method in accordance with Claims 1 to 11 characterized in that sending in accordance with step f) is effected first via a data link to the mobile radio network operator and then via the telephone network to the user of the mobile telephone.
14. Method in accordance with Claims 1 to 13 characterized in that the information, in accordance with step g), is supplied visually or acoustically via the mobile telephone.

15. Method for producing a user-specified information requirement which can be accessed via SMS messages of a mobile telephone, comprising the following steps:

a) preparing a query profile, where in the query profile at least one information requirement is specified and a brief command attached to it, where the brief command can be produced using the keypad of a mobile telephone,

b) sending the query profile in accordance with step a) to an information supplier

c) storing the query profile at the information provider on a data-processing system which can communicate with the telephone network of the mobile telephone.

16. Method in accordance with Claim 15 characterised in that step a) is effected via a data-processing system and that step b) is effected over a data link between the data-processing system of the user of the mobile telephone and the data-processing system of the information provider.

17. Method in accordance with Claim 15 characterised in that the query profile is produced via a speech computer of the information provider.

18. Method in accordance with Claims 15 to 17 characterized in that the call for information is sent with a PIN where the PIN establishes the entitlement to call for the specified information.

19. Method in accordance with Claims 15 to 18 characterized in that the call for information is sent with the telephone number of the caller, where the telephone number establishes the entitlement to call for the information.

20. Method in accordance with Claim 15 characterized in that the data link is effected through a modem to the data processing system of the information provider.

21. Method in accordance with Claim 15 characterized in that the data link is effected through the Internet to the data processing system of the information provider.

22. Method in accordance with Claims 15, 16, 18, 19 or 21 comprising the further step:

Downloading JAVA applets, stored on the server of the information supplier through the Internet to the data processing system of the user of the mobile telephone.

23. Method for calling up information via a mobile telephone where a query profile is deposited with the information provider, where the query profile specifies at least one information requirement and to which a brief command is attached for its identification, comprising the following steps:

a) sending a call for information by means of the mobile telephone to the information provider containing at least the brief command

b) comparing the brief command in accordance with step a) with the brief command of the information requirement of the query profile

c) putting together the desired information of the information requirement in the event of agreement in accordance with step b)

d) sending the collected information to the mobile telephone

e) reproducing the information via the mobile telephone.

24. Method in accordance with Claim 23 characterised in that step a) is effected via SMS of the mobile telephone.

25. Method in accordance with Claim 23 characterised in that steps b) - d) are effected through a program of the information provider.

26. Method in accordance with Claim 23 characterised in that steps b) - c) and step d) are each effected through separate programs of the information supplier.

27. Method in accordance with Claims 23 to 26 characterised in that the transmission in accordance with step d) is effected via a mobile telephone.

28. Method in accordance with Claims 23 to 26 characterised in that the transmission in accordance with step d) is effected first via a data link to the mobile radio network operator and then via the telephone network to the user of the mobile telephone.

29. Method in accordance with Claims 23 to 28 characterised in that the information in accordance with step e) is effected either visually or acoustically via the mobile telephone.




Fig. 1





Fig. 2



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) **EP 0 926 911 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:  
04.10.2000 Bulletin 2000/40

(43) Date of publication A2:  
30.06.1999 Bulletin 1999/26

(21) Application number: 98115147.5

(22) Date of filing: 12.08.1998

(51) Int. Cl.<sup>7</sup>: **H04Q 7/32**, H04L 29/06,  
G06F 17/30, H04Q 7/22,  
H04M 3/42

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE**  
Designated Extension States:  
**AL LT LV MK RO SI**

(30) Priority: 28.10.1997 DE 19747438

(71) Applicant:  
**International Business Machines Corporation  
Armonk, NY 10504 (US)**

(72) Inventors:  
• **Akerblom, Stefan  
30457 Hannover (DE)**

• **Arnold, Gerald  
03130 Spremberg (DE)**  
• **Ehrmantraut, Michael  
31275 Lehrte (DE)**  
• **Metternich, Jörg  
31008 Elze (DE)**

(74) Representative:  
**Teufel, Fritz, Dipl.-Phys.  
IBM Deutschland Informationssysteme GmbH,  
Patentwesen und Urheberrecht  
70548 Stuttgart (DE)**

(54) **Method for calling up user-specified information using a mobile telephone**

(57) The present invention describes a method for calling up information by means of a mobile telephone.

The SMS messages of a mobile telephone are used to call up information which is unconnected in time and location with the mobile telephone. To specify the desired information and to define the brief commands the user of the mobile telephone uses data-processing equipment with data lines to the information provider, e.g. Internet connection, by means of which he can deposit query profiles with the information provider. In addition, the query profiles can be produced using a speech computer. The user can call up the dormant query profiles by means of simple brief commands and obtain the required information. The desired information will be reproduced either visually or acoustically via the mobile telephone. The advantages of both communication media are therefore combined with one another in an ideal manner, where the hardware of the mobile telephone and/or its method of operation remain unchanged.




Fig. 1

EP 0 926 911 A3





European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 98 11 5147

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	EP 0 689 368 A (PTT GENERALDIREKTION) 27 December 1995 (1995-12-27) * column 3, line 29 - column 4, line 33 *	1,15,23	H04Q7/32 H04L29/06 G06F17/30 H04Q7/22 H04M3/42
A	WO 97 23988 A (HARRIS STEPHEN ;BRITISH TELECOMM (GB)) 3 July 1997 (1997-07-03) * page 2, line 7 - page 3, line 29 *	1,15,23	
A	EP 0 491 493 A (AMERICAN TELEPHONE & TELEGRAPH) 24 June 1992 (1992-06-24) * claims 1,16,29,33,36,37 *	1,15,23	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			H04Q H04M H04L
The present search report has been drawn up for all claims			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>13 July 2000</b>	Examiner <b>Janyszek, J-M</b>
<p><b>CATEGORY OF CITED DOCUMENTS</b></p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons &amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03 02 (P/04031)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 11 5147

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

13-07-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0689368	A	27-12-1995	AT 153206 T	15-05-1997
			AU 691271 B	14-05-1998
			AU 2174595 A	04-01-1996
			BR 9508091 A	12-08-1997
			CA 2152215 A	21-12-1995
			WO 9535635 A	28-12-1995
			CN 1128476 A	07-08-1996
			CZ 9603513 A	14-05-1997
			DE 59402759 D	19-06-1997
			DK 689368 T	08-12-1997
			ES 2103557 T	16-09-1997
			FI 965078 A	17-12-1996
			GR 3023908 T	30-09-1997
			HK 1003587 A	30-10-1998
			HU 76397 A, B	28-08-1997
			JP 8265843 A	11-10-1996
			NO 965315 A	18-02-1997
			NZ 287390 A	19-12-1997
			PL 317643 A	14-04-1997
			SG 34235 A	06-12-1996
WO 9723988	A	03-07-1997	SI 9520064 A	30-04-1997
			SK 161396 A	05-11-1997
			ZA 9505091 A	10-04-1996
			AU 711252 B	07-10-1999
			AU 1184997 A	17-07-1997
			CA 2238300 A	03-07-1997
			EP 0868808 A	07-10-1998
EP 0491493	A	24-06-1992	JP 2000502849 T	07-03-2000
			NO 982845 A	22-06-1998
			NZ 324370 A	28-10-1999
			US 5182766 A	26-01-1993
EP 0491493	A	24-06-1992	AT 135866 T	15-04-1996
			CA 2050401 A, C	20-06-1992
			DE 69118138 D	25-04-1996
			DE 69118138 T	24-10-1996
			ES 2084786 T	16-05-1996
			HK 146196 A	09-08-1996
			JP 2706013 B	28-01-1998
			JP 4276968 A	02-10-1992
			SG 43789 A	14-11-1997

EPO FORM P0158

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82